

OT 215 (1N-4N + 4N 3D)
 OT 220 (1N-4N + 4N 3D)
 OT 270 (1N-4N+ 4N 3D)
 OT 271 (1N-4N + 4N 3D)
 OT H (1N-4N +4N 3D)
 OT HS (1N-4N)
 OT HR (1N-4N)
 OT 222 - 225 (1N-4N)

SEAT AND BACKREST

Bucket in three versions:

- plywood CPL
- plywood with natural veneer
- painted plywood

Available in upholstery options:

- 1N - without upholstery
- 2N - with upholstered seat
- 3N - with upholstery on seat and backrest
- 4N - fully upholstered
- 4N 3D - fully upholstered with horizontal stitching



OT 220 3NP

ARMRESTS

In four options:

- PU armrest (standard)
- armrest - plywood + CPL
- armrest plywood + natural veneer
- armrest - solid wood painted

CONSTRUCTION

Metal construction, powder painted or chrome.

FEET / SLIDES

Felt feet for hard floor
PE/PA black (option) for OT 215, OT 220.)

Slides for soft floor
(standard for OT 271, OT 270)
Felt slides for hard floor
(optional for 271, OT 270)



OT 215 1N



OT 220 4N



OT 220 4N 3D



OT 271 1N



OT 270 2N



OT H 4N



OT HS 1N



OT HR 1N



OT 224 2N B (available in 2-5 seat option, with or without armrests)

ARMRESTS:



PU armrest



CPL armrest / natural veneer



Plywood armrest

ADDITIONAL FUNCTIONS

- OT 215 / OT 220 - stacking up to 10 chairs (4N i 4N 3D - up to 3 chairs.)
- OT 271 / 270 - stacking up to 5 chairs (4N i 4N 3D - up to 3 chairs)
- connecting in rows with a metal connector
- connectis rows in rows
- panel protecting seat when stacked

CERTIFICATES:

- hardened construction - certificate confirming high durability of the chair, according to the standard PN -EN 15373:2010 - research level 2
- desktop anty - certificate confirming high durability of the chair, according to the standard PN - EN 15373: 2010, research level 1
- certificate confirming requirements in terms of toxicity of the product, thermal decomposition and burning in room (according to Regulation of the Minister of Infrastructure from 12.04.2002 r.)
- FSC certificate (Forest Stewardship Council) - plywood used for ORTE production comes from forest managed according to proper forest management FSC.

BUCKET COLOURWAYS:


CPL:



white



grey




black



cotton
L5200



azul frozen
L5203



verda mente
L4085



verde manzana
L4085



ammarillo lemon
L6063



pepper red
L5219

NATURAL VENEER:



maple



natural walnut

PLYWOOD:



D1





D2




D3

ORTE | TECHNICAL DATA



OT 215 1N



H: 880	1 szt.
W: 620	St.
L: 580	pc.
H: 970	2 szt.
W: 660	St.
L: 610	pc.
H: 1070	3 szt. (max)
W: 660	St.
L: 610	pc.





OT 215 4N




H: 880	1 szt.
W: 620	St.
L: 580	pc.
H: 970	2 szt.
W: 660	St.
L: 610	pc.
H: 1070	3 szt. (max)
W: 660	St.
L: 610	pc.





OT 220 1N




H: 880	1 szt.
W: 620	St.
L: 580	pc.
H: 970	2 szt.
W: 660	St.
L: 610	pc.
H: 1070	3 szt. (max)
W: 660	St.
L: 610	pc.





OT 220 3NP




H: 880	1 szt.
W: 620	St.
L: 580	pc.
H: 970	2 szt.
W: 660	St.
L: 610	pc.





OT 271 1N




H: 880	1 szt.
W: 620	St.
L: 580	pc.
H: 970	2 szt.
W: 660	St.
L: 610	pc.
H: 1070	3 szt. (max)
W: 660	St.
L: 610	pc.



OT 271 2N



H: 880	1 szt.
W: 620	St.
L: 580	pc.
H: 970	2 szt.
W: 660	St.
L: 610	pc.
H: 1070	3 szt. (max)
W: 660	St.
L: 610	pc.



A) seat height: overall dimensions


B) seat height: measurement according to the standard PN EN 1335-1

ALL DETAILS ABOUT THIS PRODUCT ARE AVAILABLE AT WWW.BEJOT.EU




5 years warranty


OT 270 2N




OT 270 3N




OT H 1N




OT H 4N



OT HS 1N




OT HR 1N





A) seat height: overall dimensions

B) seat height: measurement according to the standard PN EN 1335-1

ORTE | TECHNICAL DATA





OT 222-225 1N





pakowane w folię
bąbelkowa
verpackt in Blasefolie
wrapped with bubble foil

kg	23 (L2)	32 (L3)
	41 (L4)	50 (L5)

max szt. / St. / pc. : 1 w op. / in box / im Karton



OT 222-225 1NP



pakowane w folię
bąbelkowa
verpackt in Blasefolie
wrapped with bubble foil

kg	26 (L2)	36 (L3)
	46 (L4)	56 (L5)

max szt. / St. / pc. : 1 w op. / in box / im Karton

A) seat height: overall dimensions

B) seat height: measurement according to the standard PN EN 1335-1

ALL DETAILS ABOUT THIS PRODUCT ARE AVAILABLE AT WWW.BEJOT.EU

b 5 years warranty

OT 3DH 102 - 102P
OT 3DH 280
OT 3DH 250 - 250P
OT 3DH 260
OT 3DH 260 P

SEAT AND BACKREST

upholstered with leather or fabric
with horizontal stitches

MECHANISM

A - height adjustment up&down
(standard)

C - rocker (angle of adjustment of seat
and backrest - 16°),
with lock in work position (option)



OT 3DH 102 PN

ARMRESTS

powder painted or chrome, with or
without overlay

BASE

available in 3 coloursways: black,
aluminum, polished aluminum

CASTORS

for soft or hard floor, with or without
brake



OT 3DH 102 PN



OT 3DH 280



OT 3DH 250



OT 3DH 250 PN



OT 3DH 260



OT 3DH 260 P


BASE




Base 22 - polished aluminum 



Base 23 powder painted according to Bejot sampler 



Base 17 - black plastic 



Colourful ring for base 17: white, red, green 

CASTORS



DEMAD - soft wheel for hard floor 



DEMA - hard wheel for soft floor 



ROL W (white) - Universal castors with brake function for OT 3D 260



ROL C (chrome) - Universal castors with brake function for OT 3D 260




ROL G (grey) - Universal castors with brake function for OT 3D 260

ARMRESTS





P2OP - powder painted (P21P - with leather overlay acc. to Bejot sampler), P20C - chrome (P21C - with leather overlay acc. to Bejot sampler)



ORTE 3DH | TECHNICAL DATA





OT 3DH 102





OT 3DH 102 PN





OT 3DH 250




OT3DH 250P



OT 3DH 260P



OT 3DH 280



A) seat height: overall dimensions

B) seat height: measurement according to the standard PN EN 1335-1

ALL DETAILS ABOUT THIS PRODUCT ARE AVAILABLE AT WWW.BEJOT.EU

b 5 years warranty


OT 4L
OT 4LA
OT 4LAA
OT W 4LAA
OT 2LY
OT 2LT
OT 4L AH
OT W 4LAAH

TABLETOP

Melamin, thickness 25mm
in 9 colourways

LEGS

Powder painted or made
with acidproof steel
resistant to detergents and
corrosive substances.
WOOD option - solid
ashwood, colours acc. to
Bejot sampler.




OT W 4LAA



OT 4L + SH (shelf for a computer)



OT 4LA



OT 4LAA



OT 2LY




OT 2LT



OT 4L AH



OT W 4L AAH



LRS2 - connecting
tables in rows (OT 4L)



LRS1 connecting
tables in rows (OT 4L
A, OT 4L AA, OT 2LT,
OT 2LY, OT W 4LA)



Castors with lock
(OT 2Y, OT 2LT)

TABLETOP COLOURWAYS (MELAMIN):



H 1733
birch tree



oak Cremona



H 3700
Pacific



H3734
natural walnut
Dijon



H 3702
snuff walnut
Pacific



W100
white premium



U708
light grey





U961
graphite



U999
black

ORTE TABLES | TECHNICAL DATA



A) seat height: overall dimensions

B) seat height: measurement according to the standard PN EN 1335-1


ALL DETAILS ABOUT THIS PRODUCT ARE AVAILABLE AT WWW.BEJOT.EU



5 years warranty

ORTE TABLES | TECHNICAL DATA

OT 4LAA




OT 4LAA

1600	2000
H: 300	H: 300
W: 1660	W: 2050
L: 870	L: 1050
1 szt.	1 szt.
St.	St.
pc.	pc.

max szt. / St. / pc.: 1 w op. / in box / im Karton

kg	1600	2000
(netto)	36	50

OT 2LT




H: 150	1 szt. (max)
W: 1420	St.
L: 730	pc.

max szt. / St. / pc.: 1 w op. / in box / im Karton

kg	33
(netto)	

OT 2LY




H: 150	1 szt. (max)
W: 1420	St.
L: 730	pc.

max szt. / St. / pc.: 1 w op. / in box / im Karton

kg	33
(netto)	

OT W 4LAAH




H: 300	1 szt.
W: 1420	St.
L: 730	pc.

max szt. / St. / pc.: 1 w op. / in box / im Karton

kg	32
(netto)	

OT 4LAH



H: 300	1 szt.
W: 1420	St.
L: 730	pc.

max szt. / St. / pc.: 1 w op. / in box / im Karton

kg	32
(netto)	



A) seat height: overall dimensions

B) seat height: measurement according to the standard PN EN 1335-1

ALL DETAILS ABOUT THIS PRODUCT ARE AVAILABLE AT WWW.BEJOT.EU



5 years warranty

OT W 715 1N-4N
OT W 3DH
OT W 4L AA
OT W 4L AAH
OT W H 1N-4N
OT W HS 1N - 2N, 4N

SEAT AND BACKREST

in 5 upholstery options
1N- bucket made with plywood, painted or covered with CPL veneer or with modified natural veneer
2N- bucket 1N with upholster overlay on seat
3N- bucket 1N with upholster overlay on seat and backrest
4N - fully upholstered bucket
3D - fully upholstered bucket with horizontal stiches

TABLETOP

melamin, 9 colourways

CONSTRUCTION

melamin, 9 colourways

LEGS

table and chairs - made with solid ashwood
chairs - painted plywood option

FEETS

felt for hard floor

LEG CONNECTOR

metal, powder painted or chrome



OT W 715 1N



OT W 715 4N



OT W 3DH



OT W 4LAA



OT W 4LAA H



OT W H 1N



OT W H S


COLOURS OF WOODEN LEGS:



J-1



J-2



J-3*

*J3 – two stages of wood dyeing: preliminary staining and then varnishing (black) limit the occurrence of natural wood colours in case of scratches

J1 – semi-matt varnish

J2 – slightly whitened varnish

EMBROIDERY


Optional
customized
embroidery.

BUCKET COLOURWAYS:


CPL:



white



grey



black



cotton
L5200




azul frozen
L5203



verda mente
L4085



verde manzana
L4085



ammarillo lemon
L6063



pepper red
L5219

NATURAL VENEER:




klon



orzech naturalny

PLYWOOD:



D1



D2



D3

TABLETOP COLOURWAYS (MELAMIN):




H 1733
birchtree



H 3700
Pacific



H3734
natural walnut
Dijon



H 3702
snuff walnut
Pacific



W100
white premium



U708
light grey





U961
graphite




U999
black

ORTE WOOD | TECHNICAL DATA


OT W 715 1N




H: 880
W: 620
L: 580



1 szt. (max)
St.
pc.



OT W 3DH





H: 880
W: 620
L: 580




1 szt. (max)
St.
pc.


OT W H 1N




H: 970
W: 660
L: 610




1 szt.
St.
pc.



OT W H S 1N






H: 970
W: 660
L: 610




1 szt.
St.
pc.

OT W 4LAA H




H: 300
W: 1420
L: 730

max szt. / St. / pc.: 1 w op. / in box / im Karton




OT W 4LAA



H: 300
W: 1660
L: 870

max szt. / St. / pc.: 1 w op. / in box / im Karton



Available in 3 tabletop size options: 1600x800; 2000x800; 800x800 mm

A) seat height: overall dimensions

B) seat height: measurement according to the standard PN EN 1335-1

ALL DETAILS ABOUT THIS PRODUCT ARE AVAILABLE AT WWW.BEJOT.EU

