

TECHNICAL SPECIFICATION

COLOURS

CONFERENCE TABLES YAN - WORKTOP



14 BEECH

26 ALUMINUM
SATINATO

31 CANADIAN OAK




34 CHESTNUT




39 POLAR BIRCH



64 COCOA



67 WHITE PASTEL



106 LOWLAND NUT



154 ANTHRACITE



CONFERENCE TABLES YAN - FRAME

M009 ALUMINUM
SEMI-MATTEM015 WHITE
SEMI-MATTEM154-
ANTHRACITE
SEMI-MATTE

CONFERENCE TABLES - WORKTOP PLF



14 BEECH

26 ALUMINUM
SATINATO

31 CANADIAN OAK




34 CHESTNUT




39 POLAR BIRCH



64 COCOA



67 WHITE PASTEL



106 LOWLAND NUT



154 ANTHRACITE



CONFERENCE TABLES - FRAME PLF, PO, PFT

M009 ALUMINUM
SEMI-MATTEM015 WHITE
SEMI-MATTEM154-
ANTHRACITE
SEMI-MATTE

CONFERENCE TABLES - WORKTOP PO, PR, PA, ST, PS80, PFT, PSU, UTR



14 BEECH

26 ALUMINUM
SATINATO

31 CANADIAN OAK



34 CHESTNUT



39 POLAR BIRCH



64 COCOA



67 WHITE PASTEL



106 LOWLAND NUT



154 ANTHRACITE



HIGH TABLES PSW



14 BEECH

26 ALUMINUM
SATINATO

31 CANADIAN OAK




34 CHESTNUT



39 POLAR BIRCH



64 COCOA




67 WHITE PASTEL



106 LOWLAND NUT



154 ANTHRACITE




TECHNICAL SPECIFICATION

COLOURS

HIGH TABLES - FRAME

M009 ALUMINUM
SEMI-MATTE

CONFERENCE TABLES - FRAME PA

M009 ALUMINUM
SEMI-MATTE

CONFERENCE TABLES - FRAME PR (COLUMN)

M115 BLACK
SEMI-MATTEM009 ALUMINUM
SEMI-MATTE

CONFERENCE TABLES - FRAME - PR (FOOT)

M009 ALUMINUM
SEMI-MATTE

CONFERENCE TABLES - FRAME - PR (FOOT EXTRA CHARGE 22,50€ PER FOOT (1PIECE) PER DESK 45€)

25 POLISHED
ALUMINUM


CONFERENCE TABLES - FRAME (COLUMN, DISC) - ST / PS80

M115 BLACK
SEMI-MATTEM009 ALUMINUM
SEMI-MATTEM015 WHITE
SEMI-MATTEM154-
ANTHRACITE
SEMI-MATTE


DISC



STAINLESS STEEL




TECHNICAL SPECIFICATION
WORKTOP




- 1. **Option with additional charge** - Mediabox M04H - 2xRJ45 (class E, cat. 6) +1 x USB + 1 x HDMI + 4x 230V, colour: M009 - aluminum semi-matte
- 2. **Option with additional charge** - Mediabox M04 - 2xRJ45 (class E, cat. 6) +1 x USB + 4x 230V, colour: M009 - aluminum semi-matte
- 3. **Option with additional charge** - Top access M05 - color: M009 - aluminum semi-matte

MEETING TABLES WITH OGI_A BASE




- 1. **Worktop** - MFC 28mm, PVC edge
- 2. **Leg** - powder painted steel
- 3. **Leveling** - 5mm range
- 4. **Supporting leg** - NG41 - powder painted steel



- 1. **Worktop** - MFC 28mm, PVC edge
- 2. **Leg** - powder painted steel, profile 60x30mm
- 3. **Leveling** - 5mm range

TECHNICAL SPECIFICATION


MEETING TABLE - OGI_Y



1. **Leg** - powder painted steel, profile 40x40mm
2. **Worktop** - MFC 28mm, PVC edge
3. **Middle MFC Element** - colour: 26 – Aluminum satinato, 67 - white pastel, 154- anthracite, without mediabox as standard
4. **Option with additional charge** - Top access M05 - color: M009 - aluminum semi-matte
5. **Option with additional charge** - Mediabox M04 - 2xRJ45 (class E, cat. 6) +1 x USB + 4x 230V, colour: M009 - aluminum semi-matte
6. **Option with additional charge** - Mediabox M04H - 2xRJ45 (class E, cat. 6) +1 x USB + 1 x HDMI + 4x 230V, colour: M009 - aluminum semi-matte
7. Fixing flat bar


ATTENTION: Plate insert is adapted to frame colour

MEETING TABLES WITH YAN_C BASE



1. Beginning element
2. Middle element
3. Ending element
4. **Worktop** - MFC 28mm, PVC edge
5. **Leg** - powder painted steel, profile 60x60mm


DISC BASE MEETING TABLES




1. **Worktop** - MFC 28mm, PVC edge
2. **Column** - powder coated steel
3. **Disc** - stainless steel

TECHNICAL SPECIFICATION


MEETING TABLES WITH ALFA BASE



MEETING TABLES WITH YAN_T BASE




MEETING TABLES WITH ERGONOMIC MASTER BASE




TECHNICAL SPECIFICATION

PO MEETING TABLES




- 1. **Worktop** - MFC 28mm, PVC edge
- 2. **Leg** - powder painted steel
- 3. **Leveling** - 5mm range

FOLDING TABLES



- 1. **Worktop** - MFC 28mm, PVC edge
- 2. **Folding base** - chrome



FOLDING TABLES - PFT




- 1. **Worktop** - MFC 28mm, PVC edge
- 2. **Frame** - metal, powder coated, profile O22mm, colour: M009 - aluminum semi-matte, M015 - white semi-matte, M154 - anthracite semi-matte
- 3. **Joining rail** - metal powder - coated in M009 - aluminum semi-matte colour, profile 40x20mm
- 4. **Wheels with brake** - O65mm
- 5. **Optional modesty panel US92** - MFC 18mm, order as separate element
- 6. **Hook** - for tables connection
- 7. **Release button**

TECHNICAL SPECIFICATION

PFT TABLES CONFIGURATIONS











TABLES WITH WOODEN LEGS



10





PLF25,BUN24



PRODUCT ILLUSTRATION	DIMENSIONS [mm]			INDEX SYMBOL						COMMENTS
	WIDTH	DEPTH	HEIGHT			kg	m3	pcs		

MEETING TABLES - OGI A

	800	800	740	PLF80		17.0	0.030	4		
	800	800	740	PLF81		20.0	0.032	5		
	1000	1000	740	PLF10		24.0	0.044	5		
	1200	1200	740	PLF11		28.0	0.060	5		
	2000	1000	740	PLF12E		42.0	0.080	5		
	2000	1000 800	740	PLF12P		43.0	0.080	5		
	2400	1000 800	740	PLF24		50.0	0.096	6		
	2400	1400	740	PLF25		73.0	0.132	6		
	1400	1100 800	740	PLF14P		41.7	0.107	6		

DESCRIPTION


 - NET WEIGHT VOLUME NUMBER OF PACKAGES

PRODUCT ILLUSTRATION	DIMENSIONS [mm]			INDEX SYMBOL						COMMENTS
	WIDTH	DEPTH	HEIGHT			kg	m3	pcs		

MEETING TABLES - OGI A








	1400	1100	740	PLF14S		39.9	0.103	5		
	1400	1100 800	740	PLF14L		30.2	0.060	4		

LOW TABLES – OGI A LEG

	800	800	550	PLF82		15.5	0.028	4		
	600	600	550	PLF60		11.0	0.018	4		
	800	800	550	PLF83		18.0	0.030	5		
	600	600	550	PLF61		13.0	0.019	5		
	1200	700	550	PLF17		21.5	0.037	5		

PRODUCT ILLUSTRATION	DIMENSIONS [mm]			INDEX SYMBOL						COMMENTS
	WIDTH	DEPTH	HEIGHT			kg	m3	pcs		

MEETING TABLE - OGI_Y








	1200	1410	740	SY22		56.6	0.125	6		Plate insert is adapted to frame colour
	1400	1410	740	SY24		60.4	0.137	6		Plate insert is adapted to frame colour
	1600	1410	740	SY26		66.6	0.148	6		Plate insert is adapted to frame colour
	1800	1410	740	SY28		69.2	0.158	6		Plate insert is adapted to frame colour
	1200	1610	740	SY02		63.9	0.150	6		Plate insert is adapted to frame colour
	1400	1610	740	SY04		71.7	0.164	6		Plate insert is adapted to frame colour
	1600	1610	740	SY06		79.9	0.178	6		Plate insert is adapted to frame colour
	1800	1610	740	SY08		82.5	0.191	6		Plate insert is adapted to frame colour

DESCRIPTION

 - NET WEIGHT VOLUME NUMBER OF PACKAGES

PRODUCT ILLUSTRATION	DIMENSIONS [mm]			INDEX SYMBOL						COMMENTS
	WIDTH	DEPTH	HEIGHT			kg	m3	pcs		

ELEMENTS FOR PAIRING - OGI_Y







	1200	1410	740	SY32		48.8	0.131	6		Plate insert is adapted to frame colour
	1400	1410	740	SY34		52.6	0.143	6		Plate insert is adapted to frame colour
	1600	1410	740	SY36		58.8	0.154	6		Plate insert is adapted to frame colour
	1800	1410	740	SY38		61.4	0.164	6		Plate insert is adapted to frame colour
	1200	1610	740	SY12		55.7	0.160	6		Plate insert is adapted to frame colour
	1400	1610	740	SY14		63.5	0.174	6		Plate insert is adapted to frame colour
	1600	1610	740	SY16		71.7	0.188	6		Plate insert is adapted to frame colour
	1800	1610	740	SY18		74.3	0.201	6		Plate insert is adapted to frame colour

DESCRIPTION

 - NET WEIGHT VOLUME NUMBER OF PACKAGES

PRODUCT ILLUSTRATION	DIMENSIONS [mm]			INDEX SYMBOL						COMMENTS
	WIDTH	DEPTH	HEIGHT			kg	m3	pcs		

MEETING TABLES - DISC BASE


	800	800	730	ST08		32.0	0.096	3		column ø50mm, disc ø500mm
	1000	1000	730	ST10		45.0	0.112	3		column ø100mm, disc ø620mm
	1200	1200	730	ST12		55.0	0.127	3		column ø100mm, disc ø620mm
	800	800	1100	PS80		23.0	0.318	2		column ø50mm, disc ø500mm
	550	550	643	PS2		14.0	0.090	2		column ø50mm - only M009 - aluminum semi - matte, disc ø340mm; top - tempered glass - 8mm
	2000	1000	730	ST12E		92.0	0.223	5		
	2000	1000 800	730	ST12P		93.0	0.223	5		
	2400	1000 800	730	ST24		98.0	0.237	5		
	1400	1100 800	730	ST14		55.4	0.131	5		column ø100mm, disc ø620mm, this element cannot stand independently

DESCRIPTION




 - NET WEIGHT VOLUME NUMBER OF PACKAGES

PRODUCT ILLUSTRATION	DIMENSIONS [mm]			INDEX SYMBOL						COMMENTS
	WIDTH	DEPTH	HEIGHT			kg	m3	pcs		


MEETING TABLES - DISC BASE

	1400	1100	730	ST14S		57.6	0.131	6		column ø100mm, disc ø620mm, this element cannot stand independently
---	------	------	-----	-------	--	------	-------	---	--	---


MEETING TABLE - YAN C

	2400	1400	740	BUN24		91.0	0.236	4		
	1400	1300	740	BUN24L		56.0	0.177	4		starting element
	1400	1300	740	BUN24S		52.0	0.126	4		middle element
	1400	1300	740	BUN24P		49.0	0.125	4		ending element

MEETING TABLE - ALFA

	2000	1000 800	740	PA51		41.0	0.116	2		
---	------	-------------	-----	------	--	------	-------	---	--	--

MEETING TABLE - YAN T

	2000	1000 800	740	BRN41		58.0	0.096	5		
---	------	-------------	-----	-------	--	------	-------	---	--	--




PRODUCT ILLUSTRATION	DIMENSIONS [mm]			INDEX SYMBOL						COMMENTS
	WIDTH	DEPTH	HEIGHT			kg	m3	pcs		

MEETING TABLES - ERGONOMIC MASTER

	800	800	740	PR57		20.0	0.357	2		colours of base as in ergonomic master
	800	800	740	PR56		19.0	0.356	2		colours of base as in ergonomic master
	2000	1000 800	740	PR41		49.9	0.104	5		
	2000	1000 800	740	PR41R		49.9	0.104	5		height regulation 620 - 820mm, every 20mm
	2400	1000 800	740	PR52		56.2	0.116	5		
	2400	1000 800	740	PR52R		56.2	0.116	5		height regulation 620 - 820mm, every 20mm




PRODUCT ILLUSTRATION	DIMENSIONS [mm]			INDEX SYMBOL						COMMENTS
	WIDTH	DEPTH	HEIGHT			kg	m3	pcs		

MEETING TABLES - PO

	800	800	500	PO30		17.0	0.029	4		
	800	800	500	PO27		20.0	0.031	5		
	800	800	740	POG30		15.5	0.029	4		
	800	800	740	POG29		18.0	0.032	5		
	2400	1000 800	740	POG52		47.5	0.096	6		
	2000	1000 800	740	POG41		42.5	0.081	6		
	1390	695	740	POG61		24.0	0.043	5		

PRODUCT ILLUSTRATION	DIMENSIONS [mm]			INDEX SYMBOL						COMMENTS
	WIDTH	DEPTH	HEIGHT			kg	m3	pcs		

FOLDING TABLES

	1390	695	725	PSU07		23.0	0.112	2		foldable base
	1390	695	740	PFT01		30.0	0.123	2		folding top - connector for linking tables included (2 pcs)
	1486	743	740	PFT02		32.0	0.134	2		folding top - connector for linking tables included (2 pcs)
	1600	800	740	PFT03		34.0	0.148	2		folding top - connector for linking tables included (2 pcs)
	2000	800	740	PFT04		41.3	0.182	3		folding top - connector for linking tables included (2 pcs)
	2000	800	740	PFT05		41.3	0.182	3		folding top - connector for linking tables included (2 pcs)

MFC MODESTY PANEL







	925	18	320	US92		3.5	0.008	1		for folding tables PFT01 & PFT02
	1135	18	320	US93		8.2	0.013	1		for folding table PFT03, PFT04, PFT05

DESCRIPTION

 - NET WEIGHT VOLUME NUMBER OF PACKAGES

PRODUCT ILLUSTRATION	DIMENSIONS [mm]			INDEX SYMBOL						COMMENTS
	WIDTH	DEPTH	HEIGHT			kg	m3	pcs		

HIGH TABLES

	1200	500	1100	PSW52		34.0	0.071	2		
	1600	500	1100	PSW56		39.0	0.082	2		
	1800	500	1100	PSW58		41.0	0.088	2		
	1200	700	1100	PSW72		46.0	0.098	2		
	1600	700	1100	PSW76		52.0	0.114	2		
	1800	700	1100	PSW78		55.0	0.122	2		

TABLES WITH WOODEN LEGS

	450	450	570	UTR45		5.2	0.011	2		legs ø45mm
	650	650	460	UTR65		7.5	0.016	2		legs ø40mm

DESCRIPTION

 - NET WEIGHT VOLUME NUMBER OF PACKAGES