

Materials and colours

Upholstery

FAUX LEATHER N

FAUX LEATHER CX

FAUX LEATHER CI

LEATHER S + FAUX LEATHER N

FABRIC SY | SINERGY

FABRIC ME

FABRIC IP

Ecological leather 80% PVC, 20% Polyester Weight: 550 g/m². The colours of the N faux-leather fabric match the corresponding colors of the genuine S leather. The fabric is wear-resistant and easy to clean with mild soap and water.

Do not use cleaning agents that contain alcohol and/or ammonia or harsh detergents that can damage the appearance and the tightness of the faux-leather over time.

Please refer to the Price list in force and to the General sale conditions for the colours and the combinations available for every single product.

Colours shown are used for reference only and may look different in reality. Please contact SitLand to receive more informations.



Materials and colours

Upholstery

FAUX LEATHER N

FAUX LEATHER CX

FAUX LEATHER CI

LEATHER S + FAUX LEATHER N

FABRIC SY | SINERGY

FABRIC ME

FABRIC IP

Fine faux-leather fabric with a compact appearance, pleasant to the touch with a peach skin feel, bi-elastic, breathable. The CX faux leather is easy to clean, anti-bacterial and anti-mould; it allows you to avoid unpleasant odors and allergies.

Composition: 79% PVC - 9% Polyurethane - 8% Polyester - 4%, Cotton - Weight: 630 g / sq m ($\pm 10\%$) - Thickness: 1.1 mm - UV light resistance Xenotest Alpha: ≥ 4 gray scale - Abrasion method "Cesconi" UNI 4818 74-15° (Resistant). Faux leather that is completely free of phthalates. ECO material compliant with the REACH Regulation (Regulation EC 1907/2006).

MAINTENANCE

Dust it gently; in case of minor stains wipe the surface with a damp cloth or with a solution of mild detergent, rinse with water, wring out, let it dry naturally. Do not use cleaning agents that contain alcohol and/or ammonia or harsh detergents that can damage the appearance and tightness of the eco-leather over time.

Attention: the fine ecological leather CX should not be brought into contact with textiles and/or clothing colored with unfixed dyes, or wetted or like jeans, to avoid permanent stains. We cannot guarantee the possibility to remove unknown dyes from light and medium colored product.

Please refer to the Price list in force and to the General sale conditions for the colours and the combinations available for every single product.

Colours shown are used for reference only and may look different in reality. Please contact SitLand to receive more informations.



Materials and colours

Upholstery

FAUX LEATHER N

FAUX LEATHER CX

FAUX LEATHER CI

LEATHER S + FAUX LEATHER N

FABRIC SY | SINERGY

FABRIC ME

FABRIC IP

Fine faux-leather fabric with a compact appearance, pleasant to the touch with a peach skin feel, bi-elastic, breathable. The CI faux leather is easy to clean, anti-bacterial and anti-mould; it allows you to avoid unpleasant odors and allergies. Composition: 79% PVC - 9% Polyurethane - 8% Polyester - 4% Cotton - Weight: 630 g / sq m (± 10%) - Thickness: 1.1 mm - UV light resistance Xenotest Alpha: ≥ 4 grayscale - Abrasion method "Cesconi" UNI 4818 74-15° (Resistant) - flammability UNI 9175:2008 Class 1 IM. Faux leather that is completely free of phthalates. ECO material compliant with the REACH Regulation (Regulation EC 1907/2006).

MAINTENANCE

Dust it gently; in case of minor stains wipe the surface with a damp cloth or with a solution of mild detergent, rinse with water, wring out, let it dry naturally. Do not use cleaning agents that contain alcohol and/or ammonia or harsh detergents that can damage the appearance and tightness of the eco-leather over time.

Attention: the fine ecological leather CI should not be brought into contact with textiles and/or clothing colored with unfixed dyes, or wetted or like jeans, to avoid permanent stains. We cannot guarantee the possibility to remove unknown dyes from light and medium colored product.

Please refer to the Price list in force and to the General sale conditions for the colours and the combinations available for every single product.

Colours shown are used for reference only and may look different in reality. Please contact SitLand to receive more informations.



Materials and colours

Upholstery

FAUX LEATHER N

FAUX LEATHER CX

FAUX LEATHER CI

LEATHER S + FAUX LEATHER N

FABRIC SY | SINERGY

FABRIC ME

FABRIC IP

Resistant ecological leather, matching with real leather cat. S, good grain, complete colour selection, easy maintenance.

Leather S

Buffed and pigmented real leather from European hides. Solid and durable colors.

Flammability: UNI EN 1021 - 1&2 (no ignition) Color fastness to light: UNI EN ISO 105-B02 ≥ 6 Color fastness to rubbing: UNI EN ISO 11640 ≥ 4 (dry/wet).

To maintain the beauty of the leather; avoid placing leather near direct sun or any heat sources, dust regularly with a soft and dry cloth. Spots can be washed off using a lightly damp cloth with mild soap; dry after the treatment, do not rub.

Never use strong detergents or sprays that can damage the appearance and tightness of the leather over time.

Ecological leather N

Ecological leather 80% PVC, 20% Polyester Weight: 550 g/m². The colours of the N faux-leather fabric match the corresponding colors of the genuine S leather. The fabric is wear-resistant and easy to clean with mild soap and water.

Do not use cleaning agents that contain alcohol and/or ammonia or harsh detergents that can damage the appearance and the tightness of the faux-leather over time.

Please refer to the Price list in force and to the General sale conditions for the colours and the combinations available for every single product.

Colours shown are used for reference only and may look different in reality. Please contact SitLand to receive more informations.



Materials and colours

Upholstery

FAUX LEATHER N

FAUX LEATHER CX

FAUX LEATHER CI

LEATHER S + FAUX LEATHER N

FABRIC SY | SINERGY

FABRIC ME

FABRIC IP

SY - Sinergy by Camira

Composition: fine mixed fabric, 95% Virgin Wool, 5% Polyamide. Weight: 560 g/m.
Flammability: EN 1021 - 1 (cigarette), EN 1021 - 2 (match), BS 7176 Low Hazard, UNI 9175 Classe 1 IM, NF D 60-013, ÖNORM B 3825 & A 3800-1. CAL TB 117 Section E, NFPA 260 + UFAC Class 1. Abrasion: BS EN ISO 12947-2: 100.000 Martindale cycles. Colour fastness to light: EN ISO 105-B02: 5. Colour fastness to rubbing (wet/dry) EN ISO 105x12:4. Environment: 100% free of heavy metals, complies with EU ecolabel "The Flower".

Please refer to the Price list in force and to the General sale conditions for the colours and the combinations available for every single product.

Colours shown are used for reference only and may look different in reality. Please contact SitLand to receive more informations.



Materials and colours

Upholstery

FAUX LEATHER N

FAUX LEATHER CX

FAUX LEATHER CI

LEATHER S + FAUX LEATHER N

FABRIC SY | SINERGY

FABRIC ME

FABRIC IP

Manufacturer: Gabriel

Designer: Mette Krebs Petersen

Fabric 100% Polyester. Weight 510 gr/lm. Abrasion resistance: 75.000 Martindale EN ISO 12947-2. Flammability: EN 1021 1%2 Đ BS 5852 0&1 Đ California Tech. Bull. 117-E Đ UNI 9175 Class 1 IM. Pilling: EN ISO 12945-2:4. Colour fastness to light: EN ISO 105-B02:5/7. Colour fastness to rubbing: EN ISO 105x12.4/5 (wet/dry).

Vacuum the surface of the fabric regularly, taking care do not rub the surface of the fabric. Small spots and / or stains can be cleaned with a damp cloth and a small amount of mild soap. Allow to dry naturally, do not rub. Do not use cleaning agents that contain alcohol and / or ammonia or harsh detergents that can damage the appearance and the tightness of the fabric over time.

Please refer to the Price list in force and to the General sale conditions for the colours and the combinations available for every single product.

Colours shown are used for reference only and may look different in reality. Please contact SitLand to receive more informations.



Materials and colours

Upholstery

FAUX LEATHER N

FAUX LEATHER CX

FAUX LEATHER CI

LEATHER S + FAUX LEATHER N

FABRIC SY | SINERGY

FABRIC ME

FABRIC IP

STRETCH fabric 100% Polyester FR Trevira CS Weight: 320 g/m² Abrasion Resistance: 50.000 cycles Martindale UNI EN ISO 12947 Flammability: 1 Class Italian norm - B1 DIN 4102, BS 5852 CRIB 5, EN 1021 -1&2 Color fastness to light: UNI EN ISO 105-B02:5 Color fastness to rubbing: EN ISO 105x12:4 (dry/wet). Vacuum clean regularly without brushing. Do not use cleaning agents that contain alcohol and / or ammonia or harsh detergents that can damage the appearance and the tightness of the fabric over time.

Please refer to the Price list in force and to the General sale conditions for the colours and the combinations available for every single product.

Colours shown are used for reference only and may look different in reality. Please contact SitLand to receive more informations.

